

AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Dated 26/07/2024
Printed on 26/07/2024
Page n. 1 / 10
Replaced revision:4 (Dated 09/12/2022

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code AD7040-2 (After Mixing)

Product name Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Calibration of Dissolved Oxygen Probes.

1.3. Details of the supplier of the safety data sheet

Name Adwa Hungary kft.
Full address Alsó-kikötő sor 11.C
District and Country 6726 Szeged
Hungary

Tel. +36 62 317-878 Fax +36 62 317 889

e-mail address of the competent person

responsible for the Safety Data Sheet support@adwainstruments.com

1.4. Emergency telephone number

For urgent inquiries refer to UK, London: +44 2038073798; Bulgaria tel.: +359 29154 409; Denmark tel.: 82 12 12

12; Estonia tel.: 112; Finland tel.: (09) 471 977 (direct) or (09) 4711 (exchange); Malta tel: 2545 0000, Medicines & Poisons Info Office tel.: 2545 6504; Norway tel.:25 13 00; Sweden tel.: 112; 08- 331231 (9:00-17:00); Ireland tel.: 01 809 2166

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

EUH031 Contact with acids liberates toxic gas.

Precautionary statements:

P264 Wash hands and skin thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Dated 26/07/2024 Printed on 26/07/2024 Page n. 2 / 10 Replaced revision:4 (Dated 09/12/2022

SECTION 2. Hazards identification

Immediately call a POISON CENTER or doctor.

2.3. Other hazards

P310

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

SODIUM METABISULFITE

INDEX 016-063-00-2 1 ≤ x < 3 Acute Tox. 4 H302, Eye Dam. 1 H318, EUH031

EC 231-673-0 LD50 Oral: 1540 mg/kg

CAS 7681-57-4

REACH Reg. 01-2119531326-45

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

SODIUM METABISULFITE

Irritation and corrosion. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

SODIUM METABISULFITE

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides.

5.3. Advice for firefighters

GENERAL INFORMATION



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Dated 26/07/2024
Printed on 26/07/2024
Page n. 3 / 10
Replaced revision / (Dated 09/12/2022

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

| BEL DNK | Belgique Danmark | Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019 |
|------------|---------------------|---|
| ESP | España | Límites de exposición profesional para agentes químicos en España 2021 |
| FRA | France | Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS |
| GRC | Ελλάδα | Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία"» |
| HRV | Hrvatska | Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) |
| IRL | Éire | 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) |
| NOR | Norge | Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og |



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Dated 26/07/2024 Printed on 26/07/2024 Page n. 4 / 10 Replaced revision 4 / Dated 09/12/2022

SECTION 8. Exposure controls/personal protection

grenseverdier), 21. august 2018 nr. 1255

NLD Nederland Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3,

eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit

GBR United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

TLV-ACGIH ACGIH 2021

| | | | | SODIUM ME | ETABISULFITE | | | | |
|----------------------|------------------------------------|---------------|-------|------------------|-------------------|------------------------|----------|---------|----------|
| Threshold Limit Va | alue | | | | | | | | |
| Туре | Country | ntry TWA/8h | | STEL/15min | | Remarks / Observations | | | |
| | | mg/m3 | ppm | mg/m3 | ppm | | | | |
| VLEP | BEL | 5 | | | | | | | |
| TLV | DNK | 5 | | | | | | | |
| VLA | ESP | 5 | | | | | | | |
| VLEP | FRA | 5 | | | | | | | |
| TLV | GRC | 5 | | | | | | | |
| GVI/KGVI | HRV | 5 | | | | | | | |
| OELV | IRL | 5 | | | | | | | |
| TLV | NOR | 5 | | | | | | | |
| TGG | NLD | 5 | | | | | | | |
| WEL | GBR | 5 | | | | | | | |
| TLV-ACGIH | | 5 | | | | | | | |
| Predicted no-effect | t concentrati | on - PNEC | | | | | | | |
| Normal value in | Normal value in fresh water | | | | | | 1 | mg/l | |
| Normal value ir | Normal value in marine water | | | | | | 0,1 | mg/l | |
| Normal value o | Normal value of STP microorganisms | | | | | | 75,4 | mg/l | |
| Health - Derived n | o-effect leve | I - DNEL / DM | 1EL | | | | | | |
| Effects on consumers | | | | Effects on worke | | ers | | | |
| Route of expos | ure Acu | ıte Acu | te | Chronic | Chronic | Acute | Acute | Chronic | Chronic |
| | loca | al syst | temic | local | systemic | local | systemic | local | systemic |
| Oral | | | | VND | 8,6 mg/kg bw/d | | | | |
| Inhalation | | | | VND | 66 | | | VND | 225 |
| | | | | | mg/m3 | | | | mg/m3 |

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified; LOW = low

hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

not available

Pated 26/07/2024
Printed on 26/07/2024
Page n. 5 / 10
Replaced revision:4 (Dated 09/12/2022)

Information

Method:ASTM D1293-18 Temperature: 25 °C

compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance liquid Colour colourless odourless Odour Melting point / freezing point not available not available Initial boiling point Flammability not available Lower explosive limit not available Upper explosive limit not available Flash point not applicable Auto-ignition temperature not available

Decomposition temperature not pH 4,5

Kinematic viscosity not available
Solubility soluble in water
Partition coefficient: n-octanol/water not available
Vapour pressure 17,5 mmHg

Density and/or relative density

Relative vapour density not available Particle characteristics not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F) 2,40 %
Explosive properties not applicable
Oxidising properties not applicable

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

Contact with strong acids causes the development of toxic gases.

SODIUM METABISULFITE

Generates dangerous gases or fumes in contact with: acids. Exothermic reaction with: Oxidizing agents, nitrates, nitrates, Sulphides.

10.4. Conditions to avoid

Information not available

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

€EPY 11.3.0 - SDS 1004.14



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Particle 107/2024
Printed on 26/07/2024
Page n. 6 / 10
Replaced revision:4 (Dated 09/12/2022

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

SODIUM METABISULFITE

Eye irritation, Rabbit, Result: Eye irritation, Causes serious eye damage.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

SODIUM METABISULFITE

LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): 1540 mg/kg Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Dated 26/07/2024 Printed on 26/07/2024 Page n. 7/10 Replaced revision:4 (Dated 09/12/2022

SECTION 11. Toxicological information

... / >

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

SODIUM METABISULFITE

EC50 - for Crustacea 89 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 48 mg/l/72h Desmodesmus subspicatus

12.2. Persistence and degradability

SODIUM METABISULFITE

Solubility in water > 10000 mg/l

Degradability: information not available

12.3. Bioaccumulative potential

SODIUM METABISULFITE

Partition coefficient: n-octanol/water -3,7 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

ΕN



Adwa Hungary kft.

AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Dated 26/07/2024 Printed on 26/07/2024 Page n. 8 / 10 Replaced revision:4 (Dated 09/12/2022)

SECTION 14. Transport information

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Revision nr.5
Dated 26/07/2024
Printed on 26/07/2024
Page n. 9 / 10
Replaced revision: 4 (Dated 09/12/2022

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4
Eye Dam. 1
Eye Irrit. 2
H302
H318
Causes serious eye damage, category 2
H319
EUH031
Acute toxicity, category 4
Serious eye damage, category 1
Eye irritation, category 2
Harmful if swallowed.
Causes serious eye damage.
Causes serious eye irritation.
EUH031
Contact with acids liberates toxic gas.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)



AD7040-2 (After Mixing) - Zero Oxygen Solution, Component I+II (After mixing with AD7040-1)

Revision nr.5
Dated 26/07/2024
Printed on 26/07/2024
Page n. 10 / 10
Replaced revision:4 (Dated 09/12/2022)

SECTION 16. Other information

- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

08 / 09 / 12.